



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/623,466

07/18/2003

Gary S. Dixon

976626-100/001

2973

29484 7590 07/09/2008
PATENTMETRIX
14252 CULVER DR. BOX 914
IRVINE, CA 92604

EXAMINER

CHENG, JACQUELINE

ART UNIT

PAPER NUMBER

3768

NOTIFICATION DATE

DELIVERY MODE

07/09/2008

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

Office Action Summary	Application No. 10/623,466	Applicant(s) DIXON ET AL.	
	Examiner JACQUELINE CHENG	Art Unit 3768	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 December 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 43-61 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 43-61 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 44-47, 51-61 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lang (US 2003/0015208 A1) in view of Faulkner (US 6,740,041 B2).
3. **Claims 44, 45, 51-58:** Lang teaches a method to diagnose treat and prevent bone loss. In Lang a bone characteristic level such as bone mineral density is measured and therapy is prescribed based on the bone mineral density (abstract, paragraph 0030). Repeat measurements of the bone characteristic is taken over a period of time, which can be seconds, minutes, hours, days, months, or any interval there between (paragraph 0067). Lang does not explicitly disclose using a T-score as a measure of the bone mineral density, however it is well known in the art as disclosed by Faulkner that a raw bone mineral density value has limited meaning to a physician (col. 1 line 27-35) so it is obvious to provide an established reference such as a T-score to make the raw bone mineral density value of Lang useful. If the measurements of Lang results in a normal T-score, then a therapy such as a postponement of development of bone loss symptom can be prescribed such as taking a calcium supplement (paragraph 0023).

4. **Claims 46, 47, 59-61:** These claims are rejected under Lang as well as according to broadest reasonable interpretation there is no measuring of a gait characterization or bone marker concentration so therefore these steps therefore are not required.

5. **Claims 48-50** are rejected under 35 U.S.C. 103(a) as being unpatentable over Lang in view of Faulkner, and further in view of Chaintreuil (US 6,234,969 B1). Chaintreuil discloses a bone densitometer having a housing for a foot in which a pair of ultrasonic transducers engages the heel at a controlled pressure. The ultrasonic waves that are detected are the used to calculate an quantitative ultrasound index, or a stiffness value (fig. 1, col. 4 line 14-61). It would be obvious to one with ordinary skill in the art at the time of the invention to combine Chaintreuil with Lang as Lang discloses using ultrasound measurements for the imaging test.

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to JACQUELINE CHENG whose telephone number is (571)272-5596. The examiner can normally be reached on M-F 10:00-6:30.

7. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Casler can be reached on 571-272-4956. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

8. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

Art Unit: 3737

applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Brian L Casler/
Supervisory Patent Examiner, Art Unit
3737

JC